

DELTA interruptor e botão elemento luminescente LED vermelho para função de controle 24V/50Hz



| | |
|---|--------------------------|
| Versão | |
| nome da marca do produto | DELTA |
| tipo de fonte de luz | lâmpada incandescente |
| versão do suporte | Base de montagem |
| Dados técnicos gerais | |
| identificação de referência de acordo com DIN 40719, ampliada de acordo com IEC 204-2 de acordo com IEC 750 | P |
| Tensão de alimentação | |
| tensão de alimentação valor nominal | 24 V |
| corrente de serviço valor nominal | 2 mA |
| Adequação | |
| aptidão para integração | Interruptor/botão |
| Projeto mecânico | |
| Peso líquido por ME | 7 g |
| Homologações certificados | |
| Environment | General Product Approval |

[Environmental Certifications](#)



Outras informações

Informações sobre a embalagem

[Informações sobre a embalagem](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/pt/pt/Catalog/product?mlfb=5TG7317>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pt/ps/5TG7317>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TG7317

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Curvas características

[https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)

