

para seccionador de corte em carga 3KL52, 3KM52, 3KL53, 3KM53, 3kA para seccionador de corte em carga para eixos de acionamento 8x 8mm manípulo cinza escuro/azul básico chapa protetora cinza-claro



Versão		
nome da marca do produto	SETRON	
designação do produto	Acionamento giratório do acoplamento da porta	
versão do produto	para 3KL52, 3KM52, 3KL53, 3KM53, 3KA, eixos de acionamento 8 x 8mm	
Detalhes do produto		
equipamento do produto travamento	Si	
componente do produto		
• veio de extensão	Si	
• manípulo para DESLIGAMENTO DE EMERGÊNCIA	No	
característica do produto bloqueável	Si	
Projeto mecânico		
Peso líquido por ME	0,4 kg	
Homologações certificados		
Environment	General Product Approval	other

[Environmental Con-
firmations](#)



[Confirmation](#)

Outras informações

Informações sobre a embalagem

[Informações sobre a embalagem](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/pt/pt/Catalog/product?mlfb=8UC7212-1BB20>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pt/ps/8UC7212-1BB20>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8UC7212-1BB20

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Curvas características

[https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)

