

peça sobressalente para acionamento rotativo 8UC6 dispositivo de arraste para eixos 10mm



Versão		
nome da marca do produto	SETRON	
designação do produto	dispositivo de arrastamento do acoplamento	
versão do produto	para acionamento rotativo 8UC6, eixo 10 mm	
Detalhes do produto		
equipamento do produto travamento	No	
componente do produto		
• veio de extensão	No	
• manípulo para DESLIGAMENTO DE EMERGÊNCIA	No	
característica do produto bloqueável	No	
Projeto mecânico		
Peso líquido por ME	241 g	
Homologações certificados		
Environment	General Product Approval	other

[Environmental Conformations](#)



[Confirmation](#)



Outras informações

Informações sobre a embalagem

[Informações sobre a embalagem](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/pt/pt/Catalog/product?mlfb=8UC6013>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pt/ps/8UC6013>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8UC6013

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Curvas características

[https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)

