



portas de compartimento em vez de uma porta padrão AxL=2000x 600

Versão		
nome da marca do produto	SIVACON	
designação do produto	Porta do compartimento	
versão da superfície	Revestido a pó	
versão do produto versão EMC	No	
Classe de proteção		
grau de proteção IP	IP40	
Aparência		
cor	cinza sílex	
Detalhes do produto		
componente do produto	No	
<ul style="list-style-type: none"> <li>porta transparente</li> </ul>		
Projeto mecânico		
altura	2 000 mm	
largura	600 mm	
direção de encosto da porta	à direita	
Peso líquido por ME	20 kg	
material	aço	
Homologações certificados		
Environment	General Product Approval	other

[Environmental Confirmations](#)



[Confirmation](#)



[Miscellaneous](#)

### Outras informações

#### Informações sobre a embalagem

[Informações sobre a embalagem](#)

#### Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

#### Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

#### Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/pt/pt/Catalog/product?mlfb=8MF3065-6>

#### Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pt/ps/8MF3065-6>

#### Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8MF3065-6](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8MF3065-6)

#### CAX-Online-Generator

<https://www.siemens.com/cax>

**Tender specifications**

<https://www.siemens.com/specifications>

**Curvas características**

[https://curves.simaris.siemens.com/curves/<mmp\\_prod\\_noCOMP="HAUPT"></mmp\\_prod\\_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)

---

última alteração:

29/09/2025 

