



porta de folha dupla, assimetricamente separada, em vez de porta de uma folha AxL=1800x 1000 IP40 O preço é um custo adicional para a execução padrão

| Versão | | |
|--|--|-------|
| nome da marca do produto | SIVACON | |
| designação do produto | porta de batente duplo dividida assimetricamente | |
| versão da superfície | pulverizado | |
| versão do produto versão EMC | No | |
| Classe de proteção | | |
| grau de proteção IP | IP40 | |
| Aparência | | |
| cor | cinza sílex | |
| Detalhes do produto | | |
| componente do produto | No | |
| <ul style="list-style-type: none"> • porta transparente | | |
| Projeto mecânico | | |
| altura | 1 800 mm | |
| largura | 1 000 mm | |
| direção de encosto da porta | à direita | |
| Peso líquido por ME | 25 kg | |
| material | aço | |
| Homologações certificados | | |
| Environment | General Product Approval | other |

[Environmental Confirmations](#)



[Miscellaneous](#)

[Confirmation](#)

Outras informações

Informações sobre a embalagem

[Informações sobre a embalagem](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/pt/pt/Catalog/product?mlfb=8MF3055>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pt/ps/8MF3055>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8MF3055

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Curvas características

[https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)

última alteração:

24/05/2025 

