



ALPHA 630 DIN porta de reposição, metade da porta, lado direito A=1950 mm, L=525 mm, porta direita para armário, L=1050 mm e L=1300 mm, porta completa incl. trava e barras de travamento, RAL 7035

| Versão                    |                          |       |
|---------------------------|--------------------------|-------|
| designação do produto     | porta de substituição    |       |
| versão do produto         | fechado                  |       |
| Projeto mecânico          |                          |       |
| Peso líquido por ME       | 12,4 kg                  |       |
| Homologações certificados |                          |       |
| Environment               | General Product Approval | other |

[Environmental Confirmations](#)

[Environmental Confirmations](#)



### Outras informações

Informações sobre a embalagem

[Informações sobre a embalagem](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/pt/pt/Catalog/product?mlfb=8GK9513-8KK50>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pt/ps/8GK9513-8KK50>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8GK9513-8KK50](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8GK9513-8KK50)

CAX-Online-Generator


<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Curvas características

[https://curves.simaris.siemens.com/curves/<mmp\\_prod\\_noCOMP='HAUPT'></mmp\\_prod\\_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>)



---

última alteração:

11/04/2025 

