



bus connector extended front mounted; 3 units accessory for: 3VA15; 3VA25

Model			
product brand name		SETRON	
product designation		bus connector extended	
accessories		Bus connector extended	
Connections according IEC			
thickness / of the busbar / maximum		30 mm	
width / of the busbar / maximum		50.8 mm	
Connetctions according UL			
width / of the busbar / maximum		2 in	
thickness / of the busbar / maximum		1.18 in	
Certificates			
General Product Approval		EMV	Test Certificates



EG-Konf.



[Miscellaneous](#)




RCM

[Type Test Certificates/Test Report](#)

Marine / Shipping	other	Environment			
	Confirmation	Miscellaneous	Miscellaneous	Environmental Confirmations	Environmental Confirmations
LRS					

Further information

Information on the packaging
<https://support.industry.siemens.com/cs/ww/en/view/109813875>
 Information- and Downloadcenter (Catalogs, Brochures,...)
<http://www.siemens.com/lowvoltage/catalogs>
 Industry Mall (Online ordering system)
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9603-0QB00>
 Service&Support (Manuals, Certificates, Characteristics, FAQs,...)
<https://support.industry.siemens.com/cs/ww/en/ps/3VA9603-0QB00>
 Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)
http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9603-0QB00
 CAx-Online-Generator
<http://www.siemens.com/cax>
 Tender specifications
<http://www.siemens.com/specifications>



last modified:

11/16/2024 

