



ALPHA 400/630/1250 DIN suporte de barramento coletor de 1 polo, sistema de 60 mm para largura do barramento 12mm, 15mm, 20mm, 25mm, 30mm espessura do barramento 5mm e 10mm incl. parafusos de fixação

Versão		
nome da marca do produto	ALPHA	
designação do produto	suporte de trilhos coletores	
versão do produto	para Cu 12, 20, 30 x 5, 10	
Dados técnicos gerais		
quantidade de polos	1	
Circuito principal		
corrente de serviço valor nominal máximo	630 A	
Projeto mecânico		
altura	65 mm	
largura	20 mm	
profundidade	49,5 mm	
distância entre centros do barramento	60 mm	
Peso líquido por ME	89 g	
Homologações certificados		
Environment	General Product Approval	other

[Environmental Confirmations](#)

[Environmental Confirmations](#)



Outras informações

Informações sobre a embalagem

[Informações sobre a embalagem](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/pt/pt/Catalog/product?mlfb=8GK9710-0KK00>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pt/ps/8GK9710-0KK00>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8GK9710-0KK00

CAX-Online-Generator



<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Curvas características

[https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)



última alteração:

26/05/2025 

