



barramento de cobre tamanho da estrutura 2 (3600 A), acoplamento em N:  
2x80x10, 2x100x10 mm posição N: superior L: 800 mm



Versão	
nome da marca do produto	ALPHA 3200 Eco
Dados técnicos gerais	
quantidade de polos	1
componentes de uma ligação elétrica	Campo/Campo
Circuito principal	
corrente de serviço valor nominal	3 600 A
torque de aperto máximo	40 N·m
Projeto mecânico	
altura	100 mm
largura	800 mm
profundidade	185 mm
Peso líquido por ME	18 kg
Homologações certificados	
Environment	other

[Environmental Con-  
firmations](#)



[Confirmation](#)

### Outras informações

- Informações sobre a embalagem  
[Informações sobre a embalagem](#)
- Information for data generation and storage  
<https://support.industry.siemens.com/cs/ww/en/view/109995012>
- Information- and Downloadcenter (Catalogs, Brochures,...)  
<https://www.siemens.com/lowvoltage/catalogs>
- Industry Mall (Online ordering system)  
<https://mall.industry.siemens.com/mall/pt/pt/Catalog/product?mlfb=8LK6037-0AA24>
- Service&Support (Manuals, Certificates, Characteristics, FAQs,...)  
<https://support.industry.siemens.com/cs/ww/pt/ps/8LK6037-0AA24>
- Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)  
[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8LK6037-0AA24](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8LK6037-0AA24)
- CAX-Online-Generator  
<https://www.siemens.com/cax>
- Tender specifications  
<https://www.siemens.com/specifications>
- Curvas características  
[https://curves.simaris.siemens.com/curves/<mmp\\_prod\\_noCOMP="HAUPT"></mmp\\_prod\\_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)

---

última alteração:

03/09/2025 

