



acessórios para 3KD0 tam. 01 terminal condutor neutro/aterramento, para ponte fixa terminal com moldura

Versão	
nome da marca do produto	SETRON
designação do produto	Acessórios para interruptor-seccionador
versão do produto	terminal do condutor neutro/ligação à terra
aptidão para aplicação	para 3KD tamanho 01
Conexões	
tipo de secções transversais dos condutores a serem conectados para contatos principais	
<ul style="list-style-type: none"> • sólido 	1x (2,5 ... 35) mm ²
<ul style="list-style-type: none"> • de fio fino com tratamento de terminal de condutor isolado 	1x (2,5 ... 16) mm ²
<ul style="list-style-type: none"> • encordoado 	1x (2,5 ... 35) mm ²
versão da conexão elétrica para circuito principal	terminal com moldura
Projeto mecânico	
altura	100 mm
largura	20 mm
profundidade	48 mm
Peso líquido por ME	78 g
Homologações certificados	
Environment	General Product Approval

[Environmental Con-
firmations](#)

[Environmental Con-
firmations](#)

[Miscellaneous](#)



Outras informações

Informações sobre a embalagem

[Informações sobre a embalagem](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/pt/pt/Catalog/product?mlfb=3KD9016-8>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pt/ps/3KD9016-8>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3KD9016-8

CAX-Online-Generator


<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Curvas características

https://curves.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>



última alteração:

03/04/2025 

