



SIVACON, porta, esquerda, EMC, IP40, A: 2000 mm, L: 600 mm, RAL 7035, classe de proteção 1



Versão			
nome da marca do produto	SIVACON		
designação do produto	porta		
versão do produto	Compatibilidade eletromagnética		
versão da superfície	Revestido a pó		
versão do produto versão EMC	Si		
Classe de proteção			
grau de proteção IP	IP40		
classe de proteção dos equipamentos	Classe de proteção 1		
Aparência			
cor	cinza claro		
Detalhes do produto			
componente do produto			
• ventilação	No		
• porta transparente	No		
• porta para bloqueio do seccionador	No		
Projeto mecânico			
altura	2 000 mm		
largura	600 mm		
direção de encosto da porta	à esquerda		
Peso líquido por ME	16,32 kg		
material	aço		
Homologações certificados			
Environment	General Product Approval	EMV	other
Environmental Con- firmations			Miscellaneous
other			
Confirmation	Miscellaneous	Miscellaneous	

Outras informações

Informações sobre a embalagem

[Informações sobre a embalagem](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/pt/pt/Catalog/product?mlfb=8MF1060-2UT15-0CA1>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pt/ps/8MF1060-2UT15-0CA1>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8MF1060-2UT15-0CA1

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Curvas características

[https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)



última alteração:

13/04/2025 

