

DELTA interruptor e botão elemento luminescente LED vermelho para função de controle 12V/50Hz



Versão	
nome da marca do produto	DELTA
tipo de fonte de luz	lâmpada incandescente
versão do suporte	Base de montagem
Dados técnicos gerais	
identificação de referência de acordo com DIN 40719, ampliada de acordo com IEC 204-2 de acordo com IEC 750	P
Tensão de alimentação	
tensão de alimentação valor nominal	12 V
corrente de serviço valor nominal	2 mA
Adequação	
aptidão para integração	Interruptor/botão
Projeto mecânico	
Peso líquido por ME	4 g
Homologações certificados	
Environment	General Product Approval

[Environmental Con-
firmations](#)



Outras informações

Informações sobre a embalagem

[Informações sobre a embalagem](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/pt/pt/Catalog/product?mlfb=5TG7316>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pt/ps/5TG7316>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TG7316

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Curvas características

[https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)

