

porca sextavada ISO 4032, M10, 8 galvanizada, 1 embalagem=50 peças



Versão	
nome da marca do produto	SIVACON S4
designação do produto	Porca sextavada
versão do produto	ISO 4032, M10
versão do sistema de parafusamento	sextavado externo
versão da rosca	métrico
usinagem de superfície	galvânico/galvanizado eletroliticamente
material	8 (aço)
componente do produto em fornecimento	50 peças
característica do produto livre de halogênio	No
altura	8,4 mm
Peso líquido por ME	496 g
material	aço

Homologações certificados	
Environment	General Product Approval

[Environmental Con-
firmations](#)



[Environmental Con-
firmations](#)



Outras informações

Informações sobre a embalagem

[Informações sobre a embalagem](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/pt/pt/Catalog/product?mlfb=8PQ9500-0BA05>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pt/ps/8PQ9500-0BA05>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8PQ9500-0BA05

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Curvas características

https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>

