

Acionamento rotativo do acoplamento da porta completo, preto, para 3VL para projetos GM: de acordo com GCCL o 8UC6262-6BD22 deve ser encomendado obrigatoriamente!



Versão		
nome da marca do produto	SETRON	
designação do produto	Acionamento giratório do acoplamento da porta	
versão do produto	para 3VL, modelo especial para projeto GM	
Detalhes do produto		
equipamento do produto travamento	Si	
componente do produto		
• veio de extensão	No	
• manípulo para DESLIGAMENTO DE EMERGÊNCIA	No	
característica do produto bloqueável	Si	
Projeto mecânico		
Peso líquido por ME	0,441 kg	
Homologações certificados		
Environment	General Product Approval	other

[Environmental Confirmations](#)



[Confirmation](#)



### Outras informações

Informações sobre a embalagem

[Informações sobre a embalagem](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/pt/pt/Catalog/product?mlfb=8UC6262-6BD22>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pt/ps/8UC6262-6BD22>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8UC6262-6BD22](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8UC6262-6BD22)

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Curvas características

[https://curves.simarisiemens.com/curves/<mmp\\_prod\\_noCOMP="HAUPT"></mmp\\_prod\\_no>](https://curves.simarisiemens.com/curves/<mmp_prod_noCOMP=)



