




phase barriers H=200mm for 3-pole, 4 units for fixed-mounted circ. breaker Ue > 440V accessory for circuit breaker 3WL10 / 3VA27

| Model                        |                                                                                     |                                                                                                 |                                                                                     |
|------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| product brand name           |                                                                                     | SENTRON                                                                                         |                                                                                     |
| product designation          |                                                                                     | phase barriers                                                                                  |                                                                                     |
| design of the product        |                                                                                     | 4 units, H=200 for fixed-mounted circuit breaker 3pole Ue>440 V AC                              |                                                                                     |
| Mechanical Design            |                                                                                     |                                                                                                 |                                                                                     |
| height                       |                                                                                     | 61 mm                                                                                           |                                                                                     |
| width                        |                                                                                     | 90 mm                                                                                           |                                                                                     |
| depth                        |                                                                                     | 140 mm                                                                                          |                                                                                     |
| net weight                   |                                                                                     | 0.2 kg                                                                                          |                                                                                     |
| Approvals Certificates       |                                                                                     |                                                                                                 |                                                                                     |
| General Product Approval     |                                                                                     | other                                                                                           | Environment                                                                         |
| <a href="#">Confirmation</a> |  | <br>EG-Konf. |  |
|                              |                                                                                     | <a href="#">Miscellaneous</a>                                                                   | <a href="#">Environmental Con-<br/>firmations</a>                                   |

| Further information                                                                                                                                                                                                                                              |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Information on the packaging<br><a href="https://support.industry.siemens.com/cs/ww/en/view/109813875">https://support.industry.siemens.com/cs/ww/en/view/109813875</a>                                                                                          |
| Information- and Downloadcenter (Catalogs, Brochures,...)<br><a href="http://www.siemens.com/lowvoltage/catalogs">http://www.siemens.com/lowvoltage/catalogs</a>                                                                                                 |
| Industry Mall (Online ordering system)<br><a href="https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VW9723-0WA01">https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VW9723-0WA01</a>                                          |
| Service&Support (Manuals, Certificates, Characteristics, FAQs,...)<br><a href="https://support.industry.siemens.com/cs/ww/en/ps/3VW9723-0WA01">https://support.industry.siemens.com/cs/ww/en/ps/3VW9723-0WA01</a>                                                |
| Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)<br><a href="http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VW9723-0WA01">http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VW9723-0WA01</a> |
| CAX-Online-Generator<br><a href="http://www.siemens.com/cax">http://www.siemens.com/cax</a>                                                                                                                                                                      |
| Tender specifications<br><a href="http://www.siemens.com/specifications">http://www.siemens.com/specifications</a>                                                                                                                                               |



last modified:

8/10/2021 

