

Siemens
EcoTech



cobre campo de acoplamento N tamanho da estrutura 1 (1600 A), montagem fixa, posição N: inferior, modelo N: 100%



| Versão | |
|-------------------------------------|----------------|
| nome da marca do produto | ALPHA 3200 Eco |
| Dados técnicos gerais | |
| quantidade de polos | 1 |
| componentes de uma ligação elétrica | Campo/Campo |
| Circuito principal | |
| corrente de serviço valor nominal | 1 600 A |
| torque de aperto máximo | 40 N-m |
| Projeto mecânico | |
| Peso líquido por ME | 14,25 kg |
| Homologações certificados | |
| Environment | other |

[Environmental Confirmations](#)

Siemens
EcoTech



[Confirmation](#)

Outras informações

Informações sobre a embalagem

[Informações sobre a embalagem](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/pt/pt/Catalog/product?mlfb=8LK6037-0AA41>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pt/ps/8LK6037-0AA41>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8LK6037-0AA41

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Curvas características

[https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)

