




Neutral conductor, leading switching for Front mounting, Up to 32 A., Accessory for main and emergency stop switch 3LD2

| Model                                                          |                                                       |
|----------------------------------------------------------------|-------------------------------------------------------|
| product brand name                                             | SETRON                                                |
| product designation                                            | Neutral conductor                                     |
| design of the product                                          | accessories for 3LD2 main and EMERGENCY-STOP switches |
| AWG number as coded connectable conductor cross section        |                                                       |
| • minimum                                                      | 14                                                    |
| • maximum                                                      | 8                                                     |
| type of connectable conductor cross-sections for main contacts |                                                       |
| • finely stranded with core end processing                     | 1x (1.5 ... 16 mm <sup>2</sup> )                      |
| • solid or stranded                                            | 1x (1.5...10 mm <sup>2</sup> )                        |



| Approvals Certificates                                                                                                                                                                                     |                              |                                                                              |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------|------------------------------------------------------------------------------|
| General Product Approval                                                                                                                                                                                   | other                        | Environment                                                                  |
| <a href="#">Confirmation</a><br><br> | <a href="#">Confirmation</a> | <a href="#">Miscellaneous</a><br><a href="#">Environmental Confirmations</a> |

**Environment**

[Environmental Confirmations](#)

**Further information**

- Information on the packaging  
<https://support.industry.siemens.com/cs/ww/en/view/109813875>
- Information- and Downloadcenter (Catalogs, Brochures,...)  
<http://www.siemens.com/lowvoltage/catalogs>
- Industry Mall (Online ordering system)  
<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3LD9220-0B>
- Service&Support (Manuals, Certificates, Characteristics, FAQs,...)  
<https://support.industry.siemens.com/cs/ww/en/ps/3LD9220-0B>
- Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)  
[http://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=3LD9220-0B](http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3LD9220-0B)
- CAx-Online-Generator  
<http://www.siemens.com/cax>
- Tender specifications  
<http://www.siemens.com/specifications>



---

last modified:

4/18/2024 

