



porta IP55, L: 850mm fecho: alavanca giratória para semicilindro perfilado, charneira: lado esquerdo

Versão	
nome da marca do produto	SIVACON S4
designação do produto	porta
versão do produto	IP55
versão da superfície	Revestido a pó
versão do produto versão EMC	No
Classe de proteção	
grau de proteção IP	IP55
classe de proteção dos equipamentos	1
Aparência	
cor	cinza claro
Detalhes do produto	
componente do produto	
• ventilação	No
• porta transparente	No
• porta para bloqueio do seccionador	No
acessório incluído no escopo de fornecimento	não
Projeto mecânico	
altura	2 000 mm
largura	850 mm
direção de encosto da porta	à esquerda
Peso líquido por ME	28 kg
material	chapa de aço
Homologações certificados	
Environment	General Product Approval

[Environmental Con-
firmations](#)



[Environmental Con-
firmations](#)



Outras informações

Informações sobre a embalagem

[Informações sobre a embalagem](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/pt/pt/Catalog/product?mlfb=8PQ2197-0BA32>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pt/ps/8PQ2197-0BA32>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8PQ2197-0BA32

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Curvas características

[https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)

última alteração:

24/05/2025 

