



SIVACON, porta, direita, EMC, IP40, A: 1800 mm, L: 800 mm, RAL 7035, classe de proteção 1

Versão	
nome da marca do produto	SIVACON
designação do produto	porta
versão do produto	fechado
versão da superfície	Revestido a pó
versão do produto versão EMC	Si
Classe de proteção	
grau de proteção IP	IP40
classe de proteção dos equipamentos	Classe de proteção 1
Aparência	
cor	cinza claro
Detalhes do produto	
componente do produto	
• ventilação	No
• porta transparente	No
• porta para bloqueio do seccionador	No
Projeto mecânico	
altura	1 800 mm
largura	800 mm
direção de encosto da porta	à direita
Peso líquido por ME	18,9 kg
material	aço

Homologações certificados			
Environment	General Product Approval	EMV	other

[Environmental Con-
firmations](#)



[Miscellaneous](#)

[Confirmation](#)

other



[Miscellaneous](#)

[Miscellaneous](#)

Outras informações

Informações sobre a embalagem

[Informações sobre a embalagem](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/pt/pt/Catalog/product?mlfb=8MF1880-2UT14-0CA1>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pt/ps/8MF1880-2UT14-0CA1>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8MF1880-2UT14-0CA1

CAX-Online-Generator


<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Curvas características

[https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)



última alteração:

13/04/2025

