

acionamento da porta 8UC7 manípulo cinza TI chapa protetora cinza-claro com compensação de tolerância reduzida para disjuntor 3VL4, 3VL5, 3VL6 para eixos de acionamento 8 x 8mm



Versão		
nome da marca do produto	SETRON	
designação do produto	Acionamento giratório do acoplamento da porta	
versão do produto	para 3VL4, 3VL5, 3VL6, com compensação de tolerância reduzida, eixos de acionamento 8 x 8mm	
Detalhes do produto		
equipamento do produto travamento	Si	
componente do produto		
• veio de extensão	Si	
• manípulo para DESLIGAMENTO DE EMERGÊNCIA	No	
característica do produto bloqueável	Si	
Projeto mecânico		
Peso líquido por ME	0,466 kg	
Homologações certificados		
Environment	General Product Approval	other

[Environmental Con-
firmations](#)



[Confirmation](#)

Outras informações

Informações sobre a embalagem

[Informações sobre a embalagem](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/pt/pt/Catalog/product?mlfb=8UC7262-6BD26>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pt/ps/8UC7262-6BD26>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8UC7262-6BD26

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Curvas características

[https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)

