



DELTA i-system metálico alumínio placa de cobertura tomada de ligação TAE e tomada de ligação de alto-falante 55x 55mm

Versão	
nome da marca do produto	DELTA
Dados técnicos gerais	
tipo de montagem	embutido
usinagem de superfície	Outros
equipamento do produto impressão	No
material	Resina termoplástica
Classe de proteção	
grau de proteção IP	IP20
Aparência	
aspeto	Mate
cor	preto suave
Detalhes do produto	
equipamento do produto terminal de parafuso	No
equipamento do produto proteção contra pó	No
componente do produto	
• campo de inscrição	No
• tampa basculante	No
• alívio da tração	No
característica do produto livre de halogênio	Si
característica do produto transparente	No
Projeto mecânico	
Peso líquido por ME	12 g
material	plástico
Homologações certificadas	
Environment	General Product Approval

[Environmental Con-
firmations](#)



Outras informações

Informações sobre a embalagem
[Informações sobre a embalagem](#)
 Information for data generation and storage
<https://support.industry.siemens.com/cs/ww/en/view/109995012>
 Information- and Downloadcenter (Catalogs, Brochures,...)
<https://www.siemens.com/lowvoltage/catalogs>
 Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/pt/pt/Catalog/product?mlfb=5TG2563-2SB>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pt/ps/5TG2563-2SB>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=5TG2563-2SB

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Curvas características

[https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)

última alteração:

04/02/2026 

