



peça sobressalente para acionamento rotativo 8UC6 peça intermediária para eixos 8mm a 8mm

Versão		
nome da marca do produto	SETRON	
designação do produto	Peça intermédia	
versão do produto	para eixo 8mm em 8mm	
Detalhes do produto		
equipamento do produto travamento	No	
componente do produto		
• veio de extensão	No	
• manípulo para DESLIGAMENTO DE EMERGÊNCIA	No	
característica do produto bloqueável	No	
Projeto mecânico		
Peso líquido por ME	0,021 kg	
Homologações certificadas		
Environment	General Product Approval	other

[Environmental Confirmations](#)



[Confirmation](#)

### Outras informações

Informações sobre a embalagem

[Informações sobre a embalagem](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/pt/pt/Catalog/product?mlfb=8UC6022>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pt/ps/8UC6022>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8UC6022](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8UC6022)

CAX-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Curvas características

[https://curves.simaris.siemens.com/curves/<mmp\\_prod\\_noCOMP="HAUPT"></mmp\\_prod\\_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)



