

acionamento da porta 8UC7 manípulo vermelho/azul turquesa básico chapa protetora amarela para seccionador de corte em carga 3KL52, 3KM52, 3KL53, 3KM53, 3kA para eixos de acionamento 8x 8mm



Versão		
nome da marca do produto	SETRON	
designação do produto	Acionamento giratório do acoplamento da porta	
versão do produto	para 3KL52, 3KM52, 3KL53, 3KM53, 3KA, eixos de acionamento 8 x 8mm	
Detalhes do produto		
equipamento do produto travamento	Si	
componente do produto		
• veio de extensão	Si	
• manípulo para DESLIGAMENTO DE EMERGÊNCIA	Si	
característica do produto bloqueável	Si	
Projeto mecânico		
Peso líquido por ME	0,431 kg	
Homologações certificados		
Environment	General Product Approval	other

[Environmental Con-
firmations](#)



[Confirmation](#)

other



Outras informações

Informações sobre a embalagem

[Informações sobre a embalagem](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/pt/pt/Catalog/product?mlfb=8UC7222-3BB20>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pt/ps/8UC7222-3BB20>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8UC7222-3BB20

CAx-Online-Generator

<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Curvas características

[https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP="HAUPT"></mmp_prod_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)

última alteração:

19/05/2025 

