

132F0030**CONVERSOR FREQUENCIA FC051P7K5T4E20H3BXC**

FC-051P7K5T4E20H3BXCXXXSXXX

Image coming soon

Conversores de Frequências
 FC-051P7K5T4E20H3BXCXXXSXXX
 VLT® Micro Drive FC-51
 (P7K5) 7,5 KW / 10 HP, Trifásico
 380 - 480 VCA, (E20) IP20 / Chassis
 (H3) RFI Classe A1/B (C1)
 Circuito de frenagem
 Sem Painel de controle local
 Placas eletrôn. envernizadas, Sem opcional de rede elétrica
 CHASSI M3
 Outras opções de acordo com o código do modelo

Código Danfoss: FC-051P7K5T4E20H3BXCXXXSXXX

O VLT® Micro Drive é um conversor geral que pode controlar motores CA até 22,0 kW. Trata-se de um conversor pequeno com o máximo de força e confiabilidade. O VLT® Micro Drive é fabricado com respeito pelo ambiente e cumpre a Diretiva RoHS.

Observação: Solicite o display do LCP separadamente como acessório.

[View Efficiency Data](#)**PRODUCT DETAILS**

Peso bruto		3.646 kg
Peso líquido		3.229 kg
Volume		10.881 l
EAN		5702427357617
Sales restriction control		
Matr grp for sales restriction		0001
VLT® MICRO DRIVE FC 051 SERIES		
Visão do produto (Alterar)	GLBL	Global (Padrão)
Grupo de produtos	FC-	VLT® Micro Drive FC-
Série Micro Drive	051	51
Potência Nominal	P7K5	(P7K5) 7,5 KW / 10 HP
Fase	T	Trifásico
Tensão de rede	4	380 - 480 VCA
Gabinete	E20	(E20) IP20 / Chassis
Filtro de RFI	H3	(H3) RFI Classe A1/B (C1)
Freio - Safe Stop	B	Circuito de frenagem
LCP	X	Sem Painel de controle local
Revestimento de PCB	C	Placas eletrôn. envernizadas
Opcional de rede elétrica	X	Sem opcional de rede elétrica
Adaptação A	X	Entradas de cabo padrão
Adaptação B	X	Sem adaptação
Versão do software	SXXX	Última versão do SW padrão
Tamanho do Chassi	M3	CHASSI M3
Codificação Parte 1		FC-051P7K5T4E20H3BXCXXXSXXX

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

PRODUCT DETAILS

Código do modelo 01		FC-051P7K5T4E20H3BXCXXXSXXX
Catálogo de produtos	NO_VIEW	SEM EXIBIÇÃO
Peso Bruto Calculado [kg]		3.3
Peso líquido calculado [kg]		3

For Documents, Software, Visuals and more information, please use this link to visit the product page on Danfoss Product Store [🔗](#)

Acessórios

**132B0102** [🔗](#)**KIT DE MONTAGEM REMOTO PARA LCP FC-51**

Remote installation kit for VLT Micro Drive FC 51 for installing an LCP 11 or LCP 12 control unit in a control cabinet door or similar. (can also be retrofitted). Contains fastening elements, seal and 3 m connection cable with plugs. LCP is not included in the scope of delivery. Minimum delivery quantity: 6 (in a collective box with individual packaging)

**132B0101** [🔗](#)**LCP12 PANEL DE CONTROL CON POTENCIOMETRO**

Numerical control unit with integrated potentiometer for VLT Micro Drive FC 51. Fully enclosed housing design (IP 20 / front IP 54). Quick menu for quick commissioning, manual / auto switchover and alarm acknowledgment. With copy function to save and transfer the device parameters.

**132B0100** [🔗](#)**LCP11 SEM POTENCIOMETRO FC-51**

Painel de controle local para VLT® Micro Drive FC51. Gabinete metálico IP20/Frontal IP54. LCP numérico com quick menu para colocação em funcionamento e controle local. Leitura de status, seleção manual/automática, teclas reset e de navegação, funcionalidade de cópia e armazenamento de parâmetros.

**132B0110** [🔗](#)**IP21/Type1 conversion kit, M3**

IP 21 covers for VLT Micro Drive FC 51 in size M3. Increases the degree of protection of the housing and offers additional protection against accidental contact. Minimum delivery quantity: 3 (in a collective box with individual packaging)

**132B0107** [🔗](#)**Kit de Aterramento para Frame M3**

For more information, please use this link to visit the product page on Danfoss Product Store [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

Acessórios



132B0105 [🔗](#)
KIT NEMA1 PARA FRAME M3 FC 51



175N2584 [🔗](#)
MCA 121 EtherNet/IP coated gateway

Peças de Reposição



132B0102 [🔗](#)
KIT DE MONTAGEM REMOTO PARA LCP FC-51
Remote installation kit for VLT Micro Drive FC 51 for installing an LCP 11 or LCP 12 control unit in a control cabinet door or similar. (can also be retrofitted).
Contains fastening elements, seal and 3 m connection cable with plugs.
LCP is not included in the scope of delivery.
Minimum delivery quantity: 6 (in a collective box with individual packaging)

Serviços



130R1011 [🔗](#)
Serviços de manutenção e conserto-campo
DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.
You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.



130R1118 [🔗](#)
Serv de manut. e conserto-laboratorio
DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.
You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

For more information, please use this link to visit the product page on Danfoss Product Store [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

Serviços

**130R1110** [🔗](#)**Serv de manut. e conserto-laboratorio**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1112** [🔗](#)**Serv de manut. e conserto-laboratorio**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1111** [🔗](#)**Serv de manut. e conserto-laboratorio**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1113** [🔗](#)**Serv de manut. e conserto-laboratorio**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1115** [🔗](#)**Serv de manut. e conserto-laboratorio**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1116** [🔗](#)**Serv de manut. e conserto-laboratorio**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

For more information, please use this link to visit the product page on Danfoss Product Store [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

Serviços

**130R1117** [🔗](#)**Serv de manut. e conserto-laboratorio**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1114** [🔗](#)**Serv de manut. e conserto-laboratorio**

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1013** [🔗](#)**Serviços de manutenção e conserto-campo**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1016** [🔗](#)**Serviços de manutenção e conserto-campo**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1015** [🔗](#)**Serviços de manutenção e conserto-campo**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1014** [🔗](#)**Serviços de manutenção e conserto-campo**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

For more information, please use this link to visit the product page on Danfoss Product Store [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

Serviços

**130R1012** [🔗](#)**Serviços de manutenção e conserto-campo**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1010** [🔗](#)**Serviços de manutenção e conserto-campo**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1018** [🔗](#)**Serviços de manutenção e conserto-campo**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

**130R1017** [🔗](#)**Serviços de manutenção e conserto-campo**

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

For more information, please use this link to visit the product page on Danfoss Product Store [🔗](#)

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.

Serviços

**132F0030** **CONVERSOR FREQUENCIA FC051P7K5T4E20H3BXC**

FC-051P7K5T4E20H3BXCXXSXXX

Conversores de Frequências

FC-051P7K5T4E20H3BXCXXSXXX

VLT® Micro Drive FC-51

(P7K5) 7,5 KW / 10 HP, Trifásico

380 - 480 VCA, (E20) IP20 / Chassis

(H3) RFI Classe A1/B (C1)

Circuito de frenagem

Sem Painel de controle local

Placas eletrôn. envernizadas, Sem opcional de rede elétrica

CHASSI M3

Outras opções de acordo com o código do modelo

Código Danfoss: FC-051P7K5T4E20H3BXCXXSXXX

O VLT® Micro Drive é um conversor geral que pode controlar motores CA até 22,0 kW. Trata-se de um conversor pequeno com o máximo de força e confiabilidade. O VLT® Micro Drive é fabricado com respeito pelo ambiente e cumpre a Diretiva RoHS.

Observação: Solicite o display do LCP separadamente como acessório.

For more information, please use this link to visit the product page on Danfoss Product Store 

Danfoss can accept no responsibility for possible errors in catalogs, brochures and other printed material. Danfoss reserves the right to alter its products without notice. This also applies to products already on order provided that such alterations can be made without sub-sequential changes being necessary in specifications already agreed. All trademarks in this material are property of the respective companies. Danfoss and the Danfoss logotype are trademarks of Danfoss A/S. All rights reserved.