

circular conduc. terminal TA1.4 16...185 mm² with auxiliary conductor voltage tap 3 units accessory for: 3VA20/21/22



Model			
product brand name		SETRON	
product designation		Circular conductor terminal voltage tap 3 units	
accessories		Wire connector	
General technical data			
designation / of the terminal		TA1.4	
type of electrical connection / with control wire tap		Yes	
Connections according IEC			
connectable conductor cross-section - for copper cable / stranded / minimum - for copper cable / stranded / maximum - for aluminum cable / stranded / minimum - for aluminum cable / stranded / maximum		16 mm² 185 mm² 16 mm² 185 mm²	
stripped length		20 mm	
tightening torque / when using copper cables - solid - stranded - finely stranded		16 mm²: 15.8 Nm 16 - 35 mm²: 15.8 Nm, 50 - 185 mm²: 31.1 Nm 25 - 35 mm²: 15.8 Nm 50 - 150 mm²: 31.1 Nm	
Connetctions according UL			
permissible temperature / of connectable conductor / according to UL 486A-486B		75 °C	
stripped length		0.8 in	
connectable conductor cross-section - for copper cable / stranded / minimum - for copper cable / stranded / maximum - for aluminum cable / stranded / minimum - for aluminum cable / stranded / maximum		6 AWG 350 kcmil 6 AWG 350 kcmil	
Certificates			
General Product Approval		EMV	Test Certificates
  EG-Konf. Miscellaneous   RCM Type Test Certificates/Test Report			
Marine / Shipping		other	Environment

Further information

Information on the packaging

<https://support.industry.siemens.com/cs/ww/en/view/109813875>

Information- and Downloadcenter (Catalogs, Brochures,...)

<http://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/en/en/Catalog/product?mlfb=3VA9263-0JG12>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/en/ps/3VA9263-0JG12>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)


http://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=3VA9263-0JG12

CAX-Online-Generator

<http://www.siemens.com/cax>

Tender specifications

<http://www.siemens.com/specifications>



last modified:

7/5/2024

