



ALPHA 400/630/1250 DIN suporte de barramento coletor de 4 polos, sistema de 60 mm montagem direta em travessa para largura do barramento 12mm, 15mm, 20mm, 25mm, 30mm espessura do barramento 5mm e 10mm

Versão		
nome da marca do produto	ALPHA	
designação do produto	suporte de trilhos coletores	
versão do produto	para Cu 12, 20, 30 x 5, 12	
Dados técnicos gerais		
quantidade de polos	4	
Circuito principal		
corrente de serviço valor nominal máximo	630 A	
Projeto mecânico		
altura	272 mm	
largura	21 mm	
profundidade	51 mm	
distância entre centros do barramento	60 mm	
Peso líquido por ME	259 g	
Homologações certificados		
Environment	General Product Approval	other

[Environmental Con-  
firmations](#)

[Environmental Con-  
firmations](#)



### Outras informações

Informações sobre a embalagem

[Informações sobre a embalagem](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/pt/pt/Catalog/product?mlfb=8GK9670-0KK00>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pt/ps/8GK9670-0KK00>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

[https://www.automation.siemens.com/bilddb/cax\\_en.aspx?mlfb=8GK9670-0KK00](https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8GK9670-0KK00)

CAX-Online-Generator


<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Curvas características

[https://curves.simaris.siemens.com/curves/<mmp\\_prod\\_noCOMP="HAUPT"></mmp\\_prod\\_no>](https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP=)



---

última alteração:

26/05/2025 

