



Larger View

CONVERSOR FREQUENCIA FC302P11KT5E20H2XXX

131F7145

Conversores de Frequências

XXXXXXXAXBXXXXDX

VLT® AutomationDrive FC-

(P11K) 11 KW / 15 HP, Trifásico

380 - 500 VCA, (E20) IP20 / Chassis

Filtro de RFI

Sem circuito de frenagem

Sem Painel de controle local

PCB não revestida, Sem opcional de rede elétrica

Última versão do SW padrão

quadro: B3

Sem opcional C1, Sem opcional D

Sem Opcional A, Sem Opcionais B

Outras opções de acordo com o código do modelo

Código Danfoss: FC-302P11KT5E20H2XXXXXXSXXXXAXBXXXXDX

O VLT® AutomationDrive apresenta um novo conceito de conversores de frequência, onde um único convers...

[Leia mais](#)

› [View Efficiency Data](#) (<https://ecosmart.mydrive.danfoss.com/>)

[Onde comprar?](#)

[Reconfigurar \(/br/pt_BR/131F7145/configuratorPage/CPQCONFIGURATOR\)](#)

[+ Adicionar à lista de comparação](#)

[+Adicionar a Minha Lista de Produtos](#)



Detalhes do produto

Peso bruto	11.02 kg
Peso líquido	10 kg
Volume	57.75 l
EAN	5702427470941

VLT® AUTOMATIONDRIVE FC 300 SERIES

Visão do produto (Alterar)	GLBL	Global (Padrão)
Grupo de produtos	FC-	VLT® AutomationDrive FC-
Potência Nominal	P11K	(P11K) 11 KW / 15 HP
Fase	T	Trifásico
Tensão de rede	5	380 - 500 VCA
Gabinete	E20	(E20) IP20 / Chassis
Filtro de RFI	H2	Filtro de RFI
Freio - Safe Stop	X	Sem circuito de frenagem
LCP	X	Sem Pannel de controle local
Revestimento de PCB	X	PCB não revestida
Opcional de rede elétrica	X	Sem opcional de rede elétrica
Adaptação A	X	Entradas de cabo padrão
Adaptação B	X	Sem adaptação
Versão do software	SXXX	Última versão do SW padrão
Pacote de idioma padrão	X	Pacote de Idioma Padrão
Opcional A	AX	Sem Opcional A
Opcional B	BX	Sem Opcionais B
Opcional C0 do MCO	CX	Sem opcional C0
Opcional C1	X	Sem opcional C1
Software do opcional C	XX	Sem opção de software
Opcional D	DX	Sem opcional D
Tamanho do Chassi	B3	B3

Codificação Parte 2		XXXSXXXAXBXXXXX
Product Catalog	NO_VIEW	NO VIEW
Potência 160% (HO) [KW]		11
Potência 110% (NO) [KW]		15
Largura c/ 2 opcionais C [mm]		225,0
kVA		16.6
Perdas NO [W]		392
Perdas NO [W]		392
Perdas HO [W]		291
Corrente constante (NO) [A]		32
Corrente intermitente (NO) [A]		35.2
Corrente constante (NO) [A]		27
Corrente intermitente (NO) [A]		29.7
Corrente constante (HO) [A]		24
Corrente intermitente (HO) [A]		38.4
Corrente constante (HO) [A]		21
Corrente intermitente (HO) [A]		33.6
Peso Bruto Calculado [kg]		11.02
Peso líquido calculado [kg]		10
Fornecedor	ERR01	Não é possível determ fornec
Código do modelo 01		FC-302P11KT5E20H2XXX
Modelocode02		XXXSXXXAXBXXXXX

Documentos

Tipo de Doc...	Country	Português	Título
Brochure		Português	VLT® AutomationDrive FC 301/302 SG (https://files.danfoss.com/download/Drives/DKDDPB302B528_FC301_302_SG_LR.pdf) PB302B528
Operating Guide		Português	Safe Torque Off (https://files.danfoss.com/download/Drives/MG37D628.pdf) MG37D628
Operating Guide		Português	VLT® AutomationDrive FC 300 0.25-75 kW (https://files.danfoss.com/download/Drives/MG33AT28.pdf) MG33AT28

			Título
Programming Guide	Português	VLT® Automation Drive FC 300 SW 7.62/8.1 (https://files.danfoss.com/download/Drives/MG33MO28.pdf) MG33MO	

Certificates

Tipo de Doc...	Country	Português	Título
Brochure	Português	VLT® AutomationDrive FC 301/302 SG (https://files.danfoss.com/download/Drives/DKDDPB302B528_FC301_302_SG_LR.pdf) PB302B528	
Operating Guide	Português	Safe Torque Off (https://files.danfoss.com/download/Drives/MG37D628.pdf) MG37D628	
Operating Guide	Português	VLT® AutomationDrive FC 300 0.25-75 kW (https://files.danfoss.com/download/Drives/MG33AT28.pdf) MG33AT28	
Programming Guide	Português	VLT® Automation Drive FC 300 SW 7.62/8.1 (https://files.danfoss.com/download/Drives/MG33MO28.pdf) MG33MO	



Visuais

Visuais	Categoria do documento	Título	Download
No image available	Engineering Drawings	FC 300 B3 enclosure IP20 AB PDF	› FC 300 B3 enclosure IP20 AB PDF.pdf (https://files.danfoss.com/download/Drives/FC%20300%20B3%20enclosure%20AB.pdf)
No image available	Engineering Drawings	FC 300 B3 enclosure IP20 ABC PDF	› FC 300 B3 enclosure IP20 ABC PDF.pdf (https://files.danfoss.com/download/Drives/FC%20300%20B3%20enclosure%20ABC.pdf)
No image available	Engineering Drawings	MCAD FC B3 IP20	› MCAD FC B3 IP20.stp (https://files.danfoss.com/download/Drives/MCAD%20FC%20B3%20IP20.stp) › MCAD B3 IP20.pdf (https://files.danfoss.com/download/Drives/MCAD%20B3%20IP20.pdf) › mcad-b3-ip20.dxf (https://files.danfoss.com/download/Drives/mcad-b3-ip20.dxf) › MCAD FC B3 IP20.jpg (https://files.danfoss.com/download/Drives/MCAD%20FC%20B3%20IP20.jpg)
No image available	Engineering Drawings	Wiring Schematic FC 103, FC 302	› e30bd599.pdf (https://files.danfoss.com/download/Drives/e30bd599.pdf)
No image available	Engineering Drawings	130B1117	› 130B1117.zip (https://files.danfoss.com/download/Drives/130B1117.zip)
No image available	Engineering Drawings	LCP 102	› LCP 102.zip (https://files.danfoss.com/download/Drives/LCP%20102.zip)

Visuais	Categoria do documento	Título	Download
	Engineering Drawings	MCAD VLT Control Panel LCP 102	› MCAD-VLT-Control-Panel-LCP-102.pdf (https://files.danfoss.com/download/Drive/Panel-LCP-102.pdf) › MCAD-VLT-Control-Panel-LCP-102.dxf (https://files.danfoss.com/download/Drive/Panel-LCP-102.dxf) › MCAD-VLT-Control-Panel-LCP-102.stp (https://files.danfoss.com/download/Drive/Panel-LCP-102.stp)
	Engineering Drawings	Remote_LCP_holder	› Remote_LCP_holder.pdf (https://files.danfoss.com/download/Drives/Remote_LC
	 Pictures	VLT_B3_IP20	› VLT_B3_IP20.jpg (https://files.danfoss.com/dds/I01/VLT_B3_IP20.jpg)
 Pictures	Pictures	VLT_B3_IP20_C-option	› VLT_B3_IP20_C-option.jpg (https://files.danfoss.com/dds/I01/VLT_B3_IP20_C-op

Image
coming
soon

(/br/pt_BR/Conversores/Conversores-de-baixa-tens%C3%A3o/Acess%C3%B3rios-para-Conversores-de-baixa-tens%C3%A3o/Acess%C3%B3rios-FC-301-302/MCB-151-OPCIONAL-DE-SEGURANCA---HTL/p/130B3290)
130B3290

› MCB 151 OPCIONAL DE SEGURANCA - HTL

(/br/pt_BR/Conversores/Conversores-de-baixa-tens%C3%A3o/Acess%C3%B3rios-para-Conversores-de-baixa-tens%C3%A3o/Acess%C3%B3rios-FC-301-302/MCB-151-OPCIONAL-DE-SEGURANCA---HTL/p/130B3290)

VLT® Safe option MCB 151, painted for HTL feedback, can be used up to PL d or SIL 2

Onde comprar?

+ Adicionar à lista de comparação

+Adicionar a Minha Lista de Produtos



(/br/pt_BR/Conversores/Conversores-de-baixa-tens%C3%A3o/Acess%C3%B3rios-para-Conversores-de-baixa-tens%C3%A3o/Acess%C3%B3rios-FC-301-302/MCB-150-OPCIONAL-DE-SEGURANCA/p/130B3280)
130B3280

› MCB 150 OPCIONAL DE SEGURANCA

(/br/pt_BR/Conversores/Conversores-de-baixa-tens%C3%A3o/Acess%C3%B3rios-para-Conversores-de-baixa-tens%C3%A3o/Acess%C3%B3rios-FC-301-302/MCB-150-OPCIONAL-DE-SEGURANCA/p/130B3280)

Os módulos de segurança permitem que as máquinas interajam de maneira inteligente com operadores para aumentar a segurança, reduzir custos do sistema, melhorar a flexibilidade e aumentar a produtividade.

Os opcionais VLT® MCB 15x Safe fornecem uma solução inteligente e fácil de usar para estar em conformidade com a norma de segurança funcional IEC 61800-5-2 e ajudam a reduzir o cabeamento.

O novo módulo de segurança é certificado de acordo com a ISO 13849-1 PL d Categoria 3 e SIL 2, de acordo com a IEC 61508.

Onde comprar?

+ Adicionar à lista de comparação

+Adicionar a Minha Lista de Produtos



(/br/pt_BR/Conversores/Conversores-de-baixa-tens%C3%A3o/Acess%C3%B3rios-para-Conversores-de-baixa-tens%C3%A3o/Acess%C3%B3rios-FC-301-302/PLACA-ELETRONICA-P-CONVERSOR-FREQUENCIA/p/130B7145)
130B7145

› PLACA ELETRONICA P/ CONVERSOR FREQUENCIA

(/br/pt_BR/Conversores/Conversores-de-baixa-tens%C3%A3o/Acess%C3%B3rios-para-Conversores-de-baixa-tens%C3%A3o/Acess%C3%B3rios-FC-301-302/PLACA-ELETRONICA-P-CONVERSOR-FREQUENCIA/p/130B7145)

Onde comprar?

+ Adicionar à lista de comparação

+Adicionar a Minha Lista de Produtos



(/br/pt_BR/Conversores/Conversores-de-baixa-tens%C3%A3o/Acess%C3%B3rios-para-Conversores-de-baixa-tens%C3%A3o/Acess%C3%B3rios-FC-301-302/MODULO-MCB152-P-CONVERSOR-DE-FREQUENCIA/p/130B9860)
130B9860

› MODULO MCB152 P/ CONVERSOR DE FREQUENCIA

(/br/pt_BR/Conversores/Conversores-de-baixa-tens%C3%A3o/Acess%C3%B3rios-para-Conversores-de-baixa-tens%C3%A3o/Acess%C3%B3rios-FC-301-302/MODULO-MCB152-P-CONVERSOR-DE-FREQUENCIA/p/130B9860)

Opcionais de segurança permitem que as máquinas interajam de maneira inteligente com operadores para aumentar a segurança, reduzir custos de sistema, melhorar a flexibilidade e aumentar a produtividade.

O VLT® Safety Option MCB 152 fornece uma solução inteligente e fácil de usar para estar em conformidade com a norma de segurança funcional IEC 61800-5-2 e ajuda a reduzir o cabeamento. O MCB 152 permite a ativação do Safe Torque Off (STO) independentemente de onde ocorre um risco.


O novo opcional de segurança é certificado de acordo com a ISO 13849-1 PL d Categoria 3 e SIL 2, de acordo com a EN IEC 61508.

A combinação do VLT® Safety Option MCB 152, opcional VLT® PROFINET MCA 120 fieldbus e o cartão de controle do VLT® AutomationDrive constitui um dispositivo PROFIsafe.

Onde comprar?

+ Adicionar à lista de comparação

+Adicionar a Minha Lista de Produtos



(/br/pt_BR/Conversores/Conversores-de-baixa-tens%C3%A3o/Acess%C3%B3rios-para-Conversores-de-baixa-tens%C3%A3o/Acess%C3%B3rios-FC-301-302/VLT%C2%AE-OPCIONAL-ETHERCAT-MCA-124%2C-COATED/p/130B5646)
130B5646

› VLT® OPCIONAL ETHERCAT MCA 124, COATED

(/br/pt_BR/Conversores/Conversores-de-baixa-tens%C3%A3o/Acess%C3%B3rios-para-Conversores-de-baixa-tens%C3%A3o/Acess%C3%B3rios-FC-301-302/VLT%C2%AE-OPCIONAL-ETHERCAT-MCA-124%2C-COATED/p/130B5646)

MCA 124 Ethercat option painted The VLT® EtherCat
MCA 124 option enables Connection to EtherCat-based
networks via the EtherCat protocol.

The option allows an EtherCat connection with full
Speed and a connection to the frequency converter
with a time interval of 4 ms in both Directions. This
enables the MCA124 to be used in Networks from
low-power applications to Servo applications.

-EoE EtherNet over EtherCat support

-HTTP (Hypertext Transfer Protocol) for diagnosis via integrated web
server

-SMTP (Single Mail Transfer Protocol) for email notification

-TCP / IP for easy access to frequency converters Configuration data via MCT 10

Onde comprar?

+ Adicionar à lista de comparação

+Adicionar a Minha Lista de Produtos



(/br/pt_BR/Conversores/Conversores-de-baixa-tens%C3%A3o/Acess%C3%B3rios-para-Conversores-de-baixa-tens%C3%A3o/Acess%C3%B3rios-FC-103/MOD-COMUM-MCA120-PROFINET-SRT-coated/p/130B1235)

› MOD. COMUM. MCA120 PROFINET SRT coated

(/br/pt_BR/Conversores/Conversores-de-baixa-tens%C3%A3o/Acess%C3%B3rios-para-Conversores-de-baixa-tens%C3%A3o/Acess%C3%B3rios-FC-103/MOD-COMUM-MCA120-PROFINET-SRT-coated/p/130B1235)

MCA 120 PROFINET interface

With reinforced coating (class 3C3 / IEC 60721-3-3)

-Supports operation on PROFINET network with extensive characteristics

-DCP support for easy setting u. Communication parameters via the PLC

-on Board web-Page with Drive Status

-parameterization with the MCT10 software

- 2-port version, reduced external hardware

Onde comprar?

+ Adicionar à lista de comparação

+Adicionar a Minha Lista de Produtos



(/br/pt_BR/Conversores/Conversores-de-baixa-tens%C3%A3o/Acess%C3%B3rios-para-Conversores-de-baixa-tens%C3%A3o/Acess%C3%B3rios-FC-301-302/VLT%C2%AE-Motion-Control-MCO-305%2C-coated/p/130B1234)

130B1234

› VLT® Motion Control MCO 305, coated

(/br/pt_BR/Conversores/Conversores-de-baixa-tens%C3%A3o/Acess%C3%B3rios-para-Conversores-de-baixa-tens%C3%A3o/Acess%C3%B3rios-FC-301-302/VLT%C2%AE-Motion-Control-MCO-305%2C-coated/p/130B1234)

Integrated and programmable motion controller for VLT® AutomationDrive FC 301 and FC 302

- Adds additional functionality and flexibility as it is a freely programmable module
- Optimized for all types of positioning and synchronization applications
- Make your own program specially adapted to your application

Contains:

- synchronization (electronic shaft), positioning and electronic cam control
- 2 inputs support both stepwise and absolute encoders
- 1 encoder output (virtual master function)

10 digital inputs

- 8 digital outputs

- Sends and receives data via fieldbus interface (requires fieldbus option)

- PC software for programming and commissioning

Remember to order the Mounting kit if the above MCO option is required retrofitted.

130B7530 - Mounting kit for enclosures A2 and A3

130B7531 - Mounting kit for MCO Option,

together with MCB 113, in enclosures A2 and A3

130B1413 - Mounting kit for enclosure B3

130B1414 - Mounting kit for MCO Option,

together with MCB 113, in enclosure B3

130B7532 - Mounting kit for enclosure A5

130B7533 - Mounting kit for all enclosures B, C, D, E and F (B3 excepted)

Danfoss MCO options are not sold without prior advice.

Danfoss can offer help with programming / setting up MCO options.

Contact Danfoss for advice and prices.

Product group: R

Onde comprar?

+ Adicionar à lista de comparação

+Adicionar a Minha Lista de Produtos



(/br/pt_BR/Conversores/Conversores-de-baixa-tens%C3%A3o/Acess%C3%B3rios-para-Conversores-de-baixa-tens%C3%A3o/Acess%C3%B3rios-FC-301-302/PROFIBUS-CONV-VLT-3000/p/130B1245)
130B1245

› PROFIBUS CONV. VLT 3000

(/br/pt_BR/Conversores/Conversores-de-baixa-tens%C3%A3o/Acess%C3%B3rios-para-Conversores-de-baixa-tens%C3%A3o/Acess%C3%B3rios-FC-301-302/PROFIBUS-CONV-VLT-3000/p/130B1245)

Ensures easy and quick replacement of VLT®3000 to VLT® AutomationDrive

VLT® 3000 can then be replaced by VLT® AutomationDrive or

- the system Can be expanded without costly changes to the PLC program
- Flexible investment as it is easy to remove and replace option when upgrading to another fieldbus

Product group: R1

Onde comprar?

+ Adicionar à lista de comparação

+Adicionar a Minha Lista de Produtos



(/br/pt_BR/Conversores/Conversores-de-baixa-tens%C3%A3o/Acess%C3%B3rios-para-Conversores-de-baixa-tens%C3%A3o/Acess%C3%B3rios-FC-301-302/RESOLVER-MCB-103/p/130B1227)
130B1227

› RESOLVER MCB 103

(/br/pt_BR/Conversores/Conversores-de-baixa-tens%C3%A3o/Acess%C3%B3rios-para-Conversores-de-baixa-tens%C3%A3o/Acess%C3%B3rios-FC-301-302/RESOLVER-MCB-103/p/130B1227)

Resolver extension for FC 300. Enables the connection of the following

Resolver types:

Input voltage: 4..8 Vrms

Input frequency: 2.5..15 kHz

Number of resolver poles: 2 or 4

Onde comprar?

+ Adicionar à lista de comparação

+Adicionar a Minha Lista de Produtos



(/br/pt_BR/Conversores/Conversores-de-baixa-tens%C3%A3o/Acess%C3%B3rios-para-Conversores-de-baixa-tens%C3%A3o/Acess%C3%B3rios-FC-103/VLT%C2%AE-EtherNet-IP-MCA-121%2C-coated/p/130B1219)
130B1219

› VLT® EtherNet IP MCA 121, coated

(/br/pt_BR/Conversores/Conversores-de-baixa-tens%C3%A3o/Acess%C3%B3rios-para-Conversores-de-baixa-tens%C3%A3o/Acess%C3%B3rios-FC-103/VLT%C2%AE-EtherNet-IP-MCA-121%2C-coated/p/130B1219)

A EtherNet/IP amplia a EtherNet comercial pronta para o Protocolo Industrial Comum (CIP™) – o mesmo protocolo de camadas superiores e modelo de objeto encontrado no DeviceNet. Interruptor integrado de alto desempenho que permite topologia de linha e elimina a necessidade de interruptores externos. Topologia Device Level Ring (DLR) para maior disponibilidade do sistema. Baseada em CIP™, possibilita a reutilização do programa PLC ao migrar do DeviceNet para o EtherNet/IP. Servidor web integrado fornece diagnóstico remoto e leitura dos parâmetros básicos do drive. A notificação por e-mail oferece acesso rápido a informações de advertências ou alarmes. Comunicação unicast e multicast para melhor utilização da rede. Certificado por ODVA para o cumprimento dos mais novos padrões.

Onde comprar?

+ Adicionar à lista de comparação

+Adicionar a Minha Lista de Produtos

Visualizar:

10 (/br/pt_BR/referenceSearch?page=0&pageSize=10) | 25 (/br/pt_BR/referenceSearch?page=0&pageSize=25)

| 50 (/br/pt_BR/referenceSearch?page=0&pageSize=50)

« (/br/pt_BR/referenceSearch?page=0&pageSize=10) 1 / 7 » (/br/pt_BR/referenceSearch?page=1&pageSize=10)

Peças de Reposição

Buscar por peças de reposição específicas

Select Refinements

DrivePro Category

Spare Part Category

-

› Reset all refiners



(/br/pt_BR/Conversores/DrivePro%C2%AE-Services/Pe%C3%A7as-sobressalentes/TAMPA-FRONTAL-ESQUERDA/p/130B3566)
130B3566

› TAMPA FRONTAL ESQUERDA

(/br/pt_BR/Conversores/DrivePro%C2%AE-Services/Pe%C3%A7as-sobressalentes/TAMPA-FRONTAL-ESQUERDA/p/130B3566)

Onde comprar?

+ Adicionar à lista de comparação

+Adicionar a Minha Lista de Produtos



(/br/pt_BR/TA
MPA-
LATERAL-
PARA-FRAME-
H10-E-
B3/p/130B356
5)

130B3565

› TAMPA LATERAL PARA FRAME H10 E B3

(/br/pt_BR/TAMPA-LATERAL-PARA-FRAME-H10-E-B3/p/130B3565)

Onde comprar?

+ Adicionar à lista de comparação

+Adicionar a Minha Lista de Produtos



(/br/pt_BR/TA
MPA-
LATERAL-
PARA-FRAME-
H10-E-
B3/p/130B356
4)

130B3564

› TAMPA LATERAL PARA FRAME H10 E B3

(/br/pt_BR/TAMPA-LATERAL-PARA-FRAME-H10-E-B3/p/130B3564)

Onde comprar?

+ Adicionar à lista de comparação

+Adicionar a Minha Lista de Produtos



(/br/pt_BR/Conversores/Conversores-de-baixa-tens%C3%A3o/Acess%C3%B3rios-para-Conversores-de-baixa-tens%C3%A3o/Acess%C3%B3rios-FC-103/KIT-DE-MONTAGEM-MCO-A2-A3/p/130B7530)

› KIT DE MONTAGEM MCO A2/A3

(/br/pt_BR/Conversores/Conversores-de-baixa-tens%C3%A3o/Acess%C3%B3rios-para-Conversores-de-baixa-tens%C3%A3o/Acess%C3%B3rios-FC-103/KIT-DE-MONTAGEM-MCO-A2-A3/p/130B7530)

MCF 105 assembly kit A2 / A3 for C option

Onde comprar?

+ Adicionar à lista de comparação

+Adicionar a Minha Lista de Produtos



(/br/pt_BR/CO
NECTOR-P-
CONVERSOR-
DE-
FREQUENCIA/
p/130B9001)
130B9001

› CONECTOR P/ CONVERSOR DE FREQUENCIA

(/br/pt_BR/CONECTOR-P-CONVERSOR-DE-FREQUENCIA/p/130B9001)

Onde comprar?

+ Adicionar à lista de comparação

+Adicionar a Minha Lista de Produtos

Image
coming
soon

(/br/pt_BR/Co
nversores/Dri
vePro%C2%A
E-
Services/Pe%
C3%A7as-
sobressalente
s/BOBINA-
PARA-
CONVERSOR-
DE-
FREQUENCIA/
p/130B5728)
130B5728

› BOBINA PARA CONVERSOR DE FREQUENCIA

(/br/pt_BR/Conversores/DrivePro%C2%AE-Services/Pe%C3%A7as-sobressalentes/BOBINA-PARA-CONVERSOR-DE-FREQUENCIA/p/130B5728)

Onde comprar?

+ Adicionar à lista de comparação

+Adicionar a Minha Lista de Produtos



(/br/pt_BR/Conversores/DrivePro%C2%AE-Services/Pe%C3%A7as-sobressalentes/MODULO-CONVERSOR-DEVICENET-MC194/p/130B5601)
130B5601

› **MODULO CONVERSOR DEVICENET MC194**

(/br/pt_BR/Conversores/DrivePro%C2%AE-Services/Pe%C3%A7as-sobressalentes/MODULO-CONVERSOR-DEVICENET-MC194/p/130B5601)

VLT® DeviceNet converter MCA194 coated

Onde comprar?

+ Adicionar à lista de comparação

+Adicionar a Minha Lista de Produtos



(/br/pt_BR/Conversores/DrivePro%C2%AE-Services/Pe%C3%A7as-sobressalentes/Tampa-frontal-direito-com-op%C3%A7%C3%A3o/p/130B1410)
130B1410

› Tampa frontal direito com opção

(/br/pt_BR/Conversores/DrivePro%C2%AE-Services/Pe%C3%A7as-sobressalentes/Tampa-frontal-direito-com-op%C3%A7%C3%A3o/p/130B1410)

Onde comprar?

+ Adicionar à lista de comparação

+Adicionar a Minha Lista de Produtos



(/br/pt_BR/Conversores/DrivePro%C2%AE-Services/Pe%C3%A7as-sobressalentes/Frame-for-LCP-Control-Pad-with-option/p/130B1008)

130B1008

› Frame for LCP Control Pad with option

(/br/pt_BR/Conversores/DrivePro%C2%AE-Services/Pe%C3%A7as-sobressalentes/Frame-for-LCP-Control-Pad-with-option/p/130B1008)

Onde comprar?

+ Adicionar à lista de comparação

+Adicionar a Minha Lista de Produtos



(/br/pt_BR/Conversores/DrivePro%C2%AE-Services/Pe%C3%A7as-sobressalentes/MOLDURA-PARA-CONVERSOR-DE-FREQUENCIA/p/130B1007)
130B1007

› MOLDURA PARA CONVERSOR DE FREQUENCIA

(/br/pt_BR/Conversores/DrivePro%C2%AE-Services/Pe%C3%A7as-sobressalentes/MOLDURA-PARA-CONVERSOR-DE-FREQUENCIA/p/130B1007)

Onde comprar?

+ Adicionar à lista de comparação

+Adicionar a Minha Lista de Produtos

Visualizar: 10 (/br/pt_BR/referenceSearch?page=0&pageSize=10) | 25 (/br/pt_BR/referenceSearch?page=0&pageSize=25)

« (/br/pt_BR/referenceSearch?page=0&pageSize=10) 1 / 2 » (/br/pt_BR/referenceSearch?page=1&pageSize=10)



(/br/pt_BR/Conversores/DrivePro%C2%AE-Services/Garantia-estendida/Serv-de-manut-e-conserto-laboratorio/p/130R1131)
130R1131

› Serv de manut. e conserto-laboratorio

(/br/pt_BR/Conversores/DrivePro%C2%AE-Services/Garantia-estendida/Serv-de-manut-e-conserto-laboratorio/p/130R1131)

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

Onde comprar?

+ Adicionar à lista de comparação

+Adicionar a Minha Lista de Produtos



(/br/pt_BR/Conversores/DrivePro%C2%AE-Services/Garantia-estendida/Serv-de-manut-e-conserto-laboratorio/p/130R1134)

› Serv de manut. e conserto-laboratorio

(/br/pt_BR/Conversores/DrivePro%C2%AE-Services/Garantia-estendida/Serv-de-manut-e-conserto-laboratorio/p/130R1134)

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

Onde comprar?

+ Adicionar à lista de comparação

+Adicionar a Minha Lista de Produtos



(/br/pt_BR/Conversores/DrivePro%C2%AE-Services/Garantia-estendida/Serv-de-manut-e-conserto-laboratorio/p/130R1135)
130R1135

› Serv de manut. e conserto-laboratorio

(/br/pt_BR/Conversores/DrivePro%C2%AE-Services/Garantia-estendida/Serv-de-manut-e-conserto-laboratorio/p/130R1135)

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

Onde comprar?

+ Adicionar à lista de comparação

+Adicionar a Minha Lista de Produtos



(/br/pt_BR/Conversores/DrivePro%C2%AE-Services/Garantia-estendida/Serv-de-manut-e-conserto-laboratorio/p/130R1137)
130R1137

› Serv de manut. e conserto-laboratorio

(/br/pt_BR/Conversores/DrivePro%C2%AE-Services/Garantia-estendida/Serv-de-manut-e-conserto-laboratorio/p/130R1137)

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.
You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

Onde comprar?

+ Adicionar à lista de comparação

+Adicionar a Minha Lista de Produtos



(/br/pt_BR/Serv-de-manut-e-conserto-laboratorio/p/130R1138)

130R1138

› Serv de manut. e conserto-laboratorio

(/br/pt_BR/Serv-de-manut-e-conserto-laboratorio/p/130R1138)

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

Onde comprar?

+ Adicionar à lista de comparação

+Adicionar a Minha Lista de Produtos



(/br/pt_BR/Serv-de-manut-e-conserto-laboratorio/p/130R1136)

130R1136

› Serv de manut. e conserto-laboratorio

(/br/pt_BR/Serv-de-manut-e-conserto-laboratorio/p/130R1136)

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

Onde comprar?

+ Adicionar à lista de comparação

+Adicionar a Minha Lista de Produtos



(/br/pt_BR/Serv-de-manut-e-conserto-laboratorio/p/130R1130)

130R1130

› Serv de manut. e conserto-laboratorio

(/br/pt_BR/Serv-de-manut-e-conserto-laboratorio/p/130R1130)

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

Onde comprar?

+ Adicionar à lista de comparação

+Adicionar a Minha Lista de Produtos



(/br/pt_BR/Conversores/DrivePro%C2%AE-Services/Garantia-estendida/Serv-de-manut-e-conserto-laboratorio/p/130R1132)

› Serv de manut. e conserto-laboratorio

(/br/pt_BR/Conversores/DrivePro%C2%AE-Services/Garantia-estendida/Serv-de-manut-e-conserto-laboratorio/p/130R1132)

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site. You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

Onde comprar?

+ Adicionar à lista de comparação

+Adicionar a Minha Lista de Produtos



(/br/pt_BR/Conversores/DrivePro%C2%AE-Services/Garantia-estendida/Serv-de-manut-e-conserto-laboratorio/p/130R1133)

› Serv de manut. e conserto-laboratorio

(/br/pt_BR/Conversores/DrivePro%C2%AE-Services/Garantia-estendida/Serv-de-manut-e-conserto-laboratorio/p/130R1133)

DrivePro® Standard Extended Warranty provides repair at a Danfoss Drives workshop, or shipment of a replacement product to the site. You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

Onde comprar?

+ Adicionar à lista de comparação

+Adicionar a Minha Lista de Produtos



(/br/pt_BR/Conversores/DrivePro%C2%AE-Services/Garantia-estendida/Servi%C3%A7os-de-manuten%C3%A7%C3%A3o-e-conserto-campo/p/130R1034)

130R1034

› Serviços de manutenção e conserto-campo

(/br/pt_BR/Conversores/DrivePro%C2%AE-Services/Garantia-estendida/Servi%C3%A7os-de-manuten%C3%A7%C3%A3o-e-conserto-campo/p/130R1034)

DrivePro® On-site Extended Warranty provides repair at the customer site, or replacement at the customer site.

You can only order DrivePro® Extended Warranty when purchased with a new drive. For drives previously shipped or purchased; contact your local Danfoss Drives sales office for extended warranty contract options.

Onde comprar?

+ Adicionar à lista de comparação

+Adicionar a Minha Lista de Produtos

Visualizar: 10 (/br/pt_BR/referenceSearch?page=0&pageSize=10) | 25 (/br/pt_BR/referenceSearch?page=0&pageSize=25)

⟨ (/br/pt_BR/referenceSearch?page=0&pageSize=10) 1 / 2 ⟩ (/br/pt_BR/referenceSearch?page=1&pageSize=10)

Software

Software and firmware to support existing functionality

Software ...	Title	Version	Released
	VLT® AutomationDrive Support File v9.30 (https://files.danfoss.com/download/Drives/VLT_FC301_FC302_v09.30.zip)		
Fieldbus Configuration Files	VLT® Drives DeviceNet EDS (https://files.danfoss.com/download/Drives/VLT_DeviceNet_EDS_2021-05-31.zip)		31/05/2021

	Title	Version
Fieldbus Configuration Files	VLT® Drives PROFIBUS GSD (https://files.danfoss.com/download/Drives/VLT_PROFIBUS_GSD_2010-11-03.zip)	03/11/2010
Fieldbus Configuration Files	VLT® Drives PROFIBUS PCA Block (https://files.danfoss.com/download/Drives/VLT_PROFIBUS_PCA_Block_2008-03-19.zip)	19/03/2008
Fieldbus Configuration Files	VLT® EtherNet/IP Add-on Instructions (https://files.danfoss.com/download/Drives/VLT_EtherNet-IP_Add-on-Instructions-and-User-Tags_2013-09-27.zip)	27/09/2013
Fieldbus Configuration Files	VLT® MCA101 PROFIBUS GSD (https://files.danfoss.com/download/Drives/VLT_MCA101_PROFIBUS_GSD_2010-11-03.zip)	03/11/2010
Fieldbus Configuration Files	VLT® MCA104 CANopen EDS (https://files.danfoss.com/download/Drives/VLT_MCA104_CANopen_EDS_2014-06-23.zip)	23/06/2014
Fieldbus Configuration Files	VLT® MCA120 PROFINET GSDML (https://files.danfoss.com/download/Drives/VLT_MCA120_PROFINET_GSDML_2018-02-21.zip)	21/02/2018
Fieldbus Configuration Files	VLT® MCA123 POWERLINK XDD (https://files.danfoss.com/download/Drives/VLT_MCA123_POWERLINK_XDD_2013-08-02.zip)	02/08/2013
Fieldbus Configuration Files	VLT® MCA124 EtherCAT XML (https://files.danfoss.com/download/Drives/VLT_MCA124_EtherCAT_XML_2012-12-17.zip)	17/12/2012

Visualizar:

10 (/br/pt_BR/setSoftwarePage?productCode=131F7145&page=0&pageSize=10)
 25 (/br/pt_BR/setSoftwarePage?productCode=131F7145&page=0&pageSize=25)

< (/br/pt_BR/setSoftwarePage?productCode=131F7145&page=0&pageSize=10) 1 / 2
 (/br/pt_BR/setSoftwarePage?productCode=131F7145&page=1&pageSize=10)

Perguntas frequentes (/br/pt_BR/faq)	Sobre nós (https://www.danfoss.com/pt-br/about-danfoss/)	Contatos locais (/br/pt_BR/find-a-distributor)	Fale conosco (https://www.danfoss.com/pt-br/contact-us/)
---	--	---	---

Termo de uso (<https://www.danfoss.com/en/terms/sales-conditions-br/>) Política de privacidade (/br/pt_BR/privacy)
 Informações gerais (<https://www.danfoss.com/pt-br/>) Cookies
 Isenção de responsabilidade das configurações (/br/pt_BR/disclaimer_cpq)