

sistema de barramentos coletores, acessório distância entre centros do barramento 40 mm suporte de barramentos de 5 polos 12x 5, 15x 5 como suporte final e intermediário



Versão	
nome da marca do produto	SENTRON
designação do produto	suporte de trilhos coletores
tensão de serviço em CA valor nominal	690 V
tipo de secções transversais dos condutores a serem conectados para condutor de cobre encordoado	12 mm - 15 mm x 5 mm
Projeto mecânico	
distância entre centros do barramento	40 mm
Peso líquido por ME	123,5 g
Homologações certificados	
Environment	General Product Approval

[Environmental Confirmations](#)

[Environmental Confirmations](#)



Outras informações

Informações sobre a embalagem

[Informações sobre a embalagem](#)

Information for data generation and storage

<https://support.industry.siemens.com/cs/ww/en/view/109995012>

Information- and Downloadcenter (Catalogs, Brochures,...)

<https://www.siemens.com/lowvoltage/catalogs>

Industry Mall (Online ordering system)

<https://mall.industry.siemens.com/mall/pt/pt/Catalog/product?mlfb=8US1903-5AA00>

Service&Support (Manuals, Certificates, Characteristics, FAQs,...)

<https://support.industry.siemens.com/cs/ww/pt/ps/8US1903-5AA00>

Image database (product images, 2D dimension drawings, 3D models, device circuit diagrams, ...)

https://www.automation.siemens.com/bilddb/cax_en.aspx?mlfb=8US1903-5AA00

CAX-Online-Generator


<https://www.siemens.com/cax>

Tender specifications

<https://www.siemens.com/specifications>

Curvas características

https://curves.simaris.siemens.com/curves/<mmp_prod_noCOMP='HAUPT'></mmp_prod_no>



última alteração:

11/04/2025 

